A man in a grey suit is opening a dark door for a woman in a white dress. The woman is standing in front of the door, and the man is holding the handle. The background is a brick wall with a black lantern-style light fixture. The scene is set outdoors, with green foliage visible in the foreground.

Apeer

*make
an
entrance*



Apeer

A front door isn't just central to the appearance of your home, it's also what separates you and your family from the wind, the rain and the world outside. That's why we haven't just created a stunning range of elegant doors, we have designed and manufactured what we believe are some of the most secure, durable and energy efficient front doors available in the market today.

Contents

Pg. 10–13	Security Features
Pg. 14–19	Energy Saving & Glazing System
Pg. 20–21	Colour Range
Pg. 22–55	Apeer70 Door Range
Pg. 56–57	Apeer70 Stable Door
Pg. 58–59	Apeer70 French-Style Double Doors
Pg. 60–61	Apeer70 Bespoke Doors
Pg. 62–73	Apeer44 Door Range
Pg. 74–75	Door Accessories
Pg. 76	Door Styles & Sizes
Pg. 77	Obscure Backing Glass
Pg. 78–79	Glass Index
Pg. 80	Threshold Options
Pg. 81	Technical Information
Pg. 82	Door Builder, design your own door



With the option of the famous Kitemark certification, Apeer brings the best of both worlds right to your front door. With the sophisticated appearance of solid timber, and all the stability, energy efficiency and durability of modern materials, an Apeer door is the perfect hassle-free protector for your home and your family. Available in two thicknesses of 70mm and 44mm, each Apeer70 and Apeer44 is made from fibreglass (GRP) and uPVC with steel reinforcement and a rigid, high density, energy retaining, injected polyurethane core.

Protecting what matters the most





Apeer may come in two formats, but the principles behind each remain the same. Whether you choose the 70mm thick, double rebate **Apeer70**, or the ingenuity of the 44mm thick, single rebate **Apeer44**, both perform exceptionally well in terms of energy efficiency, security and appearance.

We offer two types of door, the Apeer70 and Apeer44

Apeer70.
70mm of high density polyurethane foam with steel reinforced uPVC inner frame, triple glazed decorative units, double dog bolts, Kitemark version available and extra insulation and security from a double rebate uPVC system.

Apeer44.
44mm of high density polyurethane foam with steel reinforced uPVC inner frame, double glazed decorative units and flush fit uPVC system.



The best designs always provide a practical but elegant solution to a serious problem. Using a unique combination of some of the strongest and most robust materials in the world including steel, GRP, toughened triple or double glazed units and high density polyurethane, every Apeer70 and Apeer44 has security at its very core.

No compromise with an Apeer composite



Keyless lock featuring the latest in biometric technology is available on Apeer70 doors and is operational by a preloaded fingerprint scan for added security and convenience.



Sidelights are available with steel coupling bar for extra strength or as a fully welded doorset.



With 'Secured by Design' police approval, this generation of Apeer doors uses the latest in locking technology to challenge even the most experienced criminals. Steel dog bolts secure the door to the frame, while the anti-pick, anti-drill, anti-snap and anti-bump cylinder locks will give you complete peace of mind.




Kitemark option available on Apeer70 as a guarantee of high quality and security.



CERTIFICATE NO. 79826
BS EN ISO 9001:2000



UKAS accreditation
PAS 23
PAS 24



2 Steel Dog Bolts



Multi-point locking system



1. Locking System
Multi-point locking system is fitted as standard to reinforce the concept of safety in your home.



2. Flag Hinges
Flag hinges are fitted to Apeer70 doors to allow for adjustment.



3. Steel Dog Bolts
Steel dog bolts secure the door to the frame, protecting against intruders.



4. Double Rebate
Apeer70's double rebate system adds additional draft protection by creating an internal secondary rebated seal.



5. Coupling Bar
Sidelights are coupled with aluminium bar for greater security, rigidity and stability.



6. Glazing Units
Apeer70 doors have triple glazed units as standard and are internally glazed without exception preventing easy access.



7. Weather Defence
Weather deflectors are fitted to protect from the elements.



8. Millenco Locking System
3 hooks, 3 dead locks, high security system protects your family from intruders.




9. Kitemark Cylinder
Anti-bump, anti-drill, anti-pick and anti-snap Kitemarked cylinder lock barrels are fitted as standard.




The energy performance of your home can be greatly increased by choosing a door that's designed to keep the heat in and the cold out. The high density polyurethane core contained within each Apeer70 and Apeer44 brings a higher level of strength and insulation in comparison with traditional doors. Even our toughened triple and double glazed units are highly insulated and come complete with Q Seal warm edge Super Spacer® system which can make all the difference to the long-term durability, energy efficiency, condensation resistance and sound transmission. By only using stable non-wood materials, and with continual innovations like Apeer70's double rebate system, we can greatly reduce the opportunities for heat to escape or for draughts to enter.

Close the door to energy loss



U Value Ratings available for all doors.



Why is double rebate important?
Apeer70's double rebate system adds additional draught protection by creating an internal secondary rebated seal.



For better insulation every Apeer70 is equipped with toughened triple glazed units and Apeer44 with double glazed units.

Glazed units are also available with Low E glass and can be gas filled to offer improved thermal performance.

Integrating glass into your Apeer door is a simple way to add personality and light to your living space. All of our bevelled glass, fused tile and sandblasted designs are hand crafted by our decorative glass experts. Each design is then integrated into our unique triple or double-glazed units and then presented in the door framed by a matching timber-effect, raised internal moulding trim. We have ensured that these glazed units can only be accessed from the inside, which both further enhances the security features of your door and facilitates redecorations or replacements.

Bring light to your living space



Unique Glazing System. Matching timber-effect raised mouldings fitted to the inside of the door and covers our reinforced, fully insulated toughened glazed units.



Fused tiles, bevels and sandblasted designs are created by hand by our decorative glass experts.




In an Apeer door, every last detail is carefully designed to make a real difference. So when we apply the finishing touches, we put as much consideration and effort into things like glazing trims and mouldings, as we do the overall door finish. Details like our timber-effect raised mouldings and handmade, triple or double insulated decorative glass units might be harder to create, but they are what makes an Apeer door look so unique.

The door that keeps up appearances



Colour Matching
Our manufacturing process give us the flexibility to colour match your complete door entrance system, inside and outside.

Colour choices are not restricted to white frames, or to a white only finish on the inside. Choose your door colour, match the door frames, rebate, weather deflector and internal finish.



Our low-maintenance, highly robust colour finish is designed to stay looking good year after year, both on the outside and on the inside. Choose the perfect colour for the exterior of your home and match it with the perfect colour for the inside. Plus, for absolute consistency even when the door is open, we carefully colour match every edge.

For a bespoke colour finish simply bring along a RAL colour reference.

Colours that stay bright whatever the weather



Standard Colour Range:

- 1.Blue
- 2.Red
- 3.Rosewood
- 4.Black
- 5.Light Oak
- 6.White
- 7.Cream
- 8.Green
- 9.Burgundy

Please refer to our colour swatches for an accurate colour match.

Please note we offer a range of standard colours on the Apeer range on both door sides or as a colour outside/white inside option. There is an extra charge for non-standard RAL colours.



Apeer70 Door Collection.
70mm of high density
polyurethane foam with:
steel reinforced uPVC
inner frame, triple glazed
decorative units, double
dog bolts, Kitemark version
available and extra insulation
and security from a double
rebate uPVC system.

Apeer 70



APA1 LO64



APA2 BO500



APA1 FT35 in sidelights and toplight (Door on opposite page)

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



APA2 FT25
(fused tile and sandblasted design)



APA3 LF549



APA2 LO21



APA2 BO510



APA3 FT14
(fused tile and sandblasted design)



APC2 FT29 (fused tile and sandblasted design)
Flat grained GRP panels available for sidelights as shown.
Moulded half and quarter panels are also available.



APC2 LF35




APC3 FT32 (Door on opposite page)



Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



APC3 BO501



APC3 BF503



APC2 BO508



APC3 LF548



APC2 GB



APG3 FT31
(fused tile and sandblasted design)



APG3 FT27
*(fused tile and sandblasted design,
house number can be added to the toplight design)*



APG3 FT43 (Door on opposite page)



Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



APG3 FT25

All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.



APG3 BF502



APG3 BO506



APG3 LF525 (Clear glass in sidelight)

All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.





APL2 BF503



APL2 BO500




APL2 LF515 (Door on opposite page)

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



APL2 LF517




APL2 BO510




Decorative glass on all triple glazed units are on the inside panel, making the outer glazing units easier to clean.



APL2 LF35



APL2 LO64



APL2 BO508



APM2 BF504



APM2 BO500




APM2 BO508 (Door on opposite page)


Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



APM2 BO510



APM2 FT27



APM2 LF515



APM1 Door, BF551 sidelight



APM2 LF549



APM2 FT14
(fused tile and sandblasted design)



APM2 FT29
(fused tile and sandblasted design)



APS2 FT24
(fused tile and sandblasted design)




APS2 LF527



APS2 BO7 (Door on opposite page)
Please note: the grain on the GRP Rosewood door is not an exact match to the grain on the Rosewood uPVC frame.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



APS2 LF534

All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.



APS2 BF504



APS2 BF505



APS2 FT39

(fused tile and sandblasted design)



APS2 LO21





APT2 BO506



APT2 LF547



APT2 LF545 (Door on opposite page)

Please note: the grain on the GRP Oak door is not an exact match to the grain on the Oak uPVC frame as it is a foil.

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



APT2 BF502



APT2 LO531

All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.



Glass design shows lead and colour film.



APT2 BO7 (Clear glass in sidelight)

All sidelights are available with a decorative design to match the door glass or with clear/clear or clear/obscure glass.



APT2 FT27

(fused tile and sandblasted design)



APT2 FT21



APY2 BO7



APY2 BO500



APY2 FT14 (Door on opposite page)


Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.




APY2 LF35



APY2 LF537



APY2 LF527



APY2 BO508



APY2 BO62



The Stable Door has all the security and style of a high quality double rebate Apeer70 door, but with a rustic look that's perfect for both contemporary and classic houses.

Fuhr Stable door lock
Deadbolts top and bottom
Weatherseal



Stepped Threshold (25mm)

Max frame 986 x 2247
sash 900 x 2187
Min frame 806 x 2007
sash 720 x 1947

Mobility Threshold (15mm)

Max frame 986 x 2250
sash 900 x 2187
Min frame 806 x 2010
sash 720 x 1947

Full uPVC Frame Threshold

Max frame 986 x 2273
sash 900 x 2187
Min frame 806 x 2033
sash 720 x 1947

Low uPVC Frame Threshold

Max frame 986 x 2257
sash 900 x 2187
Min frame 806 x 2017
sash 720 x 1947

APY2 BO500 (Door on opposite page - shown in colour cream)

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.

These striking French-Style Double Doors have all the security, energy efficiency and style of an Apeer70 door, only twice over. With a double rebate and the option of triple glazed units, you can create the perfect double doors for your home.



Stepped Threshold
 Max frame 1892w x 2247h
 sash 900 x 2187
 Min frame 1532w x 2007h
 sash 720 x 1947

Low uPVC Frame Threshold
 Max frame 1892w x 2257h
 sash 900 x 2187
 Min frame 1532w x 2017h
 sash 720 x 1947

Full uPVC Frame Threshold
 Max frame 1892w x 2273h
 sash 900 x 2187
 Min frame 1532w x 2033h
 sash 720 x 1947

APA1 (Door on opposite page)

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.

Because we design and manufacture every Apeer door in our purpose-built factory, we have the capability and the experience to create bespoke doors for unique projects. Simply submit your plans and sizes via our sales office for approval and estimations of costs and timescales.



APL2 FT22

APL2 BO500 (Door on opposite page)

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



Apeer44 Door Collection.
44mm of high density
polyurethane foam with:
steel reinforced uPVC
inner frame, double glazed
decorative units and flush
fit uPVC system.

Apeer 44



Double glazing unit

Every Apeer44 door is double glazed complete with Q Seal warm edge Super Spacer® system which can make all the difference to the long-term durability, energy efficiency, condensation resistance and sound transmission.

Matching timber-effect raised mouldings are fitted internally ensuring glazed units can only be accessed from the inside.



Single rebate

Apeer44 doors are fitted into a 70mm single rebated uPVC door system for a flush fit.



Draft seal

A secondary draft seal is fitted to every Apeer44 door.



Flush fit

Apeer44 doors are made with two GRP sheets featuring a lifelike grain and low maintenance finish.



MOA1 door, LO64 sidelight, LO546 toplight (available in white lead only)



MOA2 BO500



MOA2 FT25

(fused tile and sandblasted design)




MOA2 LF500



MOA3 LO64

Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



MOC3 BF503



MOC2 LF548



MOC2 Clear GB Toplight



MOC2 BO501




MOC2 LF35

APC2 BF551 (Door on opposite page)


Every effort has been made to reproduce the colour of our Apeer doors and the coloured film in the decorative glass designs. However, printing constraints will give rise to some colour deviation. All Apeer70 doors are triple glazed as standard. All Apeer44 doors are double glazed as standard. Please note the grain on the GRP Apeer door does not replicate the grain on the frames as it is a PVC foil. White frames do not have a grained PVC foil.



MOG3 FT27
(fused tile and sandblasted design)



MOG3 LF526



MOL2 LF515



MOL2 FT14
(fused tile and sandblasted design)




MOFG3 FT31
(fused tile and sandblasted design)




MOG3 BF507



MOG3 BF502



MOL2 LO64



MOL2 LF501



MOM2 BO500



MOM2 BO509



MOM2 FT29
(fused tile and sandblasted design)




MOM2 BF504



MOS2 LF35



MOS2 FT14
(fused tile and sandblasted design)



MOS2 BO7



MOS2 BF505




MOT2 LF545




MOT2 BO506



MOT2 BF507



MOT2 FT27
(fused tile and sandblasted design)



MOT2 LF23



MOY2 LF35



MOY2 BO7





MOY2 FT14
(fused tile and sandblasted design)



MOY2 BO500

To complement our Apeer doors, we offer a range of high quality door furniture and door hardware. All door accessories are covered by the hardware manufacturer's guarantee.



Apeer70 Flag Hinge
Apeer70 doors are fitted with flag hinges. Colour options available.



Apeer44 Butt Hinges
Apeer44 doors are fitted with butt hinges. Colour options available.




In order to ensure the best quality accessories are used on Apeer doors, New World reserves the right to replace any of the above options as required. Hardware comes with manufacturer's warranty.



APA / MOA



APC / MOC



APG / MOG



APL / MOL



APM / MOM



APS / MOS



APT / MOT



APY / MOY

Apeer70

Stepped Threshold (25mm)

Max Door and Frame 986 x 2247
giving a Door Leaf of 900 x 2187
Min Door and Frame 806 x 2007
giving a Door Leaf of 720 x 1947

Wheelchair and Mobility Thresholds (15mm)

Max Door and Frame 986 x 2250
giving a Door Leaf of 900 x 2187
Min Door and Frame 806 x 2010
giving a Door Leaf of 720 x 1947

Full uPVC Frame

Max Door and Frame 986 x 2273
giving a Door Leaf of 900 x 2187
Min Door and Frame 806 x 2033
giving a Door Leaf of 720 x 1947

Low uPVC Frame

Max Door and Frame 986 x 2257
giving a Door Leaf of 900 x 2187
Min Door and Frame 806 x 2017
giving a Door Leaf of 720 x 1947

Apeer44

Wheelchair and Mobility Thresholds (15mm)

Max Door and Frame 1012 x 2263
giving a Door Leaf of 900 x 2187
Min Door and Frame 792 x 2006
giving a Door Leaf of 680 x 1930

Full uPVC Frame Threshold

Max Door and Frame 1012 x 2299
giving a Door Leaf of 900 x 2187
Min Door and Frame 792 x 2042
giving a Door Leaf of 680 x 1930

Low uPVC Frame Threshold

Max Door and Frame 1012 x 2283
giving a Door Leaf of 900 x 2187
Min Door and Frame 792 x 2026
giving a Door Leaf of 680 x 1930

All of the door designs featured throughout the brochure can be backed with a range of obscure glass to suit all requirements for energy efficiency, safety and privacy. This is our standard range but we can offer more styles upon request. Please note there may be an additional charge for non standard obscure glass patterns.



Autumn Leaf or equivalent




Stippolyte or equivalent



Flemish or equivalent



Mayflower or equivalent



Cotswold or equivalent



Contour or equivalent










Taffeta or equivalent



Minster or equivalent









Everglade or equivalent

APA/MOA	APC/MOC	APG/MOG	APL/MOL
 BO500	 BF503	 BF502	 BF503
 BO510	 BO501	 BF507	 BO500
 FT14	 BO508	 BO506	 BO508
 FT25	 FT29	 FT25	 BO510
 LF500	 GB	 FT27	 FT14
 LF549	 LF35	 FT31	 LF35
 LO21	 LF548	 LF525	 LF501
 LO64		 LF526	 LF515
			 LF517
			 LO64

BF Bevel, coloured film and lead
 BO Bevel and lead
 FT Fused tile
 LF Lead and coloured film
 LO Lead only


All glass designs featured can be fitted into Apeer70 and Apeer44 doors.

Please see our Door Builder software for more decorative glass options.

APM/MOM	APS/MOS	APT/MOT	APY/MOY
 BF504	 BF504	 BF502	 BO62
 BO500	 BF505	 BF507	 BO7
 BO509	 BO7	 BO506	 BO500
 BO510	 FT14	 BO507	 BO508
 FT14	 FT24	 FT21	 FT14
 FT27	 FT39	 FT27	 BO508
 FT29	 LF35	 LF23	 FT14
 LF515	 LF527	 LF545	 LF35
 LF549	 LF534	 LF547	 LF527
	 LO21	 LO531	 LF537

Please note if the colour of the door is changed on an order the colour in the glass design will remain as shown in the brochure unless specified on the order form. New World will not alter the glass colour unless instructed to do so on the order form.

Apeer70



Stepped Aluminium Threshold (25mm)

Distance from bottom of door leaf to bottom of threshold 17mm

Mobility Access Threshold MDS80/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 20mm

Wheelchair Access Threshold MDS25/5/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 20mm

uPVC Full Frame Threshold

Distance from bottom of door leaf to bottom of threshold 43mm

uPVC Low Frame Threshold

Distance from bottom of door leaf to bottom of threshold 27mm

Apeer44



Mobility Access Threshold MDS80/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 20mm

Wheelchair Access Threshold MDS25/5/2 (15mm)

Distance from bottom of door leaf to bottom of threshold 20mm

uPVC Full Frame Threshold

Distance from bottom of door leaf to bottom of threshold 58mm

uPVC Low Frame Threshold

Distance from bottom of door leaf to bottom of threshold 42mm

Panel Sizes

Half Panel Sizing

Apeer70 - APHP1
Apeer44 - MOHP1



Min width - 593mm
Min height - 702mm
Max width - 900mm
Max height - 1000mm

Quarter Panel Sizing


Apeer70 - APQP1
Apeer44 - MOQP1



Min width - 275mm
Min height - 702mm
Max width - 550mm
Max height - 915mm

Flat Panel Sizing

Apeer70 - APFE
Apeer44 - MOFE



Max width - 450mm
Max height - 900mm

Coupling Bar

All Apeer door and sidelight photos in this brochure are shown with coupling bar.

They are also available as a fully welded option. Carriage surcharge may be applicable.

Please note we recommend all doorsets over 1500mm wide should be coupled for greater rigidity, stability and durability.



Installation

Apeer doors should only be fitted by approved installers. To find your nearest installer please email your enquiry through our website with your address. www.nwd.uk.com

Further Technical Information

For more details on sizes please download the technical manual on our website or on our Door Builder software.

Apeer's revolutionary software will open up a world of possibilities for your new door by allowing you to build it on screen in minutes. Select from our range of classic or contemporary designs, glazing patterns, frame details, furniture finishes and colours. Other options are easily created after a few more clicks, with prices displayed instantly to compare or save for later.

Door Builder™
Exclusively from Apeer

Ever fancied designing your perfect door?

Detailed designs, complementary glazed sidelights and toplights - all priced clearly and instantly.

Make your decision in minutes and if you want to come back again later, your quote is saved and ready for you to review.

With no 'hidden costs', you'll see your exact order and there are no surprises.



Contact
your local
dealer for a
free demo





New World
Woodside Industrial Estate
Woodside Road
Ballymena, Co. Antrim
Northern Ireland BT42 4HX

T: 028 2563 2200
F: 028 2565 9334
sales@apeer.uk.com
www.apeer.uk.com

T: 048 2563 2200 (ROI)
F: 048 2565 9334 (ROI)



Apeer is a registered brand of New World Developments Ltd.

New World is one of the UK and Ireland's leading composite and PVC door specialists. View our complete range of doors, fire doors, glazing and door accessories at www.nwd.uk.com

New World reserves the right to make alterations to any of the featured products without prior notice.